Jegna Luxury Vinyl Rigid Core Flooring Smoked Oak

Key Features

- 25-Year Residential Warranty: Enjoy peace of mind with our extensive warranty.
- Realistic Wood Look: Get the beautiful appearance of wood while enjoying the durability of vinyl.
- Durable Limestone Core: Designed to resist warping from heat, ensuring longlasting quality.
- Easy DIY Installation: Comes with a 1mm thick attached underlay for a hassle-free setup.
- 100% Waterproof: Perfect for bathrooms or any moisture-prone areas.

	Specification	
Product code	VLP-9	
Installation System	Click	
Colour	Smoked Oak	
Width	180mm	
Length	1220mm	
Thickness	5mm	
Wear Layer	0.3mm	
Weight	21.3KG Per Pack	
Room	Basements, Bathrooms, Conservatories, Dining Rooms, Kitchens, Lounges, Hallways, and Bedrooms.	
Core	Rigid Core	
Built-in underlay	Yes 1mm	
Edge Profile	Micro Bevelled	
Brand	Jegna	
Style	1 Strip Planks, Wood Effect	
Residential		
Warranty	25 Years	
Water Rating	Waterproof	
M2 per a pack	2.64 m2	
Underfloor Heating	Yes- water only	

		Installation and
Description	Free Sample order	Maintenance

The Jegna Luxury Vinyl Rigid Core Smoked Oak Flooring is incredibly versatile for any setting. Its comfort underfoot makes it ideal for transforming both domestic and commercial spaces. Plus, the slipand stain-resistant surface is remarkably easy to clean and maintain.

Selecting this flooring allows you to seamlessly integrate it into various design schemes. Whether placed in light or dark rooms, it will undoubtedly elevate the aesthetics of any space while also withstanding the demands of even the busiest households.

Experience the Jegna Smoked Oak, crafted from high-quality recycled polymers. This luxury vinyl flooring features a built-in underlay, eliminating the need for an additional purchase. The planks are meticulously designed to closely resemble natural wood flooring, showcasing both grain and appearance, with micro-bevelled edges that enhance their authentic look. Installation is a breeze thanks to the click-fitting system incorporated into the planks.

We recommend ordering a sample of the flooring before making your final decision. Images of the product can vary significantly depending on the device you're using, and a free sample is the best way to get an accurate idea of the colour, texture, and overall quality. This handson approach will allow you to see how it looks in your space and feel the material, ensuring that it meets your expectations.

The product comes with a built-in underlay, so no need to use any other type of underlay. It should be installed on a straight, rigid, and level subfloor. We suggest utilizing a self-levelling compound to achieve the necessary evenness. When installing over screed, ensure that the moisture content does not exceed 2%.

Installing this product on an uneven subfloor or using an inappropriate underlay can lead to the failure of the click system and cause damage to the flooring over time. Additionally, you must create an expansion gap around the perimeter and barrier every 30 m² or anywhere it meets another floor or vertical surface. We highly recommend installing our flooring only after carefully reviewing and following our installation and maintenance guide.